

DUAL BUSS ARCHITECTURE BENEFITS

> 12 and 24V DC locking devices may be mixed on the same power distribution

> 12 and 24 volt auxiliary power outputs may be mixed on the same power

12V REX devices may be paired up with their respective 24V locks for system

DUAL BUSS SYSTEM OVERVIEW

A common application in the security industry is providing both 12 and 24VDC within a single system.

Traditionally two independent power supplies have been used for this purpose, which although a working solution, is not economical, either in cost, space or labor.

FlexPower utilizes two power busses within a single system to provide both voltages throughout the accessory board structure.

OPERATION WITH DUAL VOLTAGE SUPPLIES


Power supply 1 is connected to Buss 1 of the accessory module and power supply 2 is connected to Buss 2. By using a simple jumper arrangement as a SPDT switch to connect an output to either buss, individual outputs may be selected to operate from either of the two system power supplies.



or lock control module

distribution module

clarity



SINGLE VOLTAGE POWER SUPPLY OPERATION


Buss 1 of the accessory module is connected to the continuous DC output of the FPO and Buss 2 is connected to the resettable DC output of the FPO. By using a simple jumper arrangement as a SPDT switch to connect an output to either buss, individual outputs may be programmed to provide either continuous or resettable DC power from any output.

DUAL BUSS ARCHITECTURE BENEFITS

- \succ Control eqress lock power directly from a simple distribution module. eliminate lock control modules in a simple system
- > Use to control multiple branches of fire alarm door holders
- Use to control smoke damper operation

C4 / C8 Control Lock Power Distribution **Power Supply 1 D8 Auxiliary Power Distribution** Note: Only Continuous DC should be fed -------to C4/C8/F8/M8 boards - FAI control is provided on-board. Ο ۲ Individual Zone Setting Options

Single Voltage System Example Continuous or Resettable DC



Individual Zone Setting Options Continuous FPO Voltage Failsafe or Failsecure Dry Contact Fire Alarm Override (FAI)

ACCESSORY BOARD ORDERING

The specific LifeSafety Power part number is:

Model Number	Description
A8	8 output AC power distribution module, fuse protected
A8P	8 output AC power distribution module, power limited
B100	DC to DC converter provides +12VDC and adjustable voltage of 5 to 18VDC
C4	4 input, 4 output lock controller, fuse protected
C4P	4 input, 4 output lock controller, power limited
C8	8 input, 8 output lock controller, fuse protected
C8P	8 input, 8 output lock controller, power limited
D8	8 output DC power distribution module, fuse protected
D8P	8 output DC power distribution module, power limited
F8	8 output programmable power distribution module, fuse protected
F8P	8 output programmable power distribution module, power limited
NL4	Network module for remote power management
RB2	2A Relay, 12VDC or 24VDC input range, DP/DT
RB5	5A Relay, 12VDC or 24VDC input range, DP/DT
RB8	8A Relay, 12VDC or 24VDC input range, DP/DT

LifeSafety Power 10027 S. 51st Street. Suite 102 Phoenix, AZ 85044 USA Tel 888-577-2898 info1@lifesafetypower.com

Important: All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their particular application. LifeSafety Power makes no warranties as to the accuracy or completeness of the information, and disclaims any liability regarding its use. LifeSafety Power's only obligations are those in the LifeSafety Power Standard Terms and Conditions of Sale for this product, and in no case will LifeSafety Power or its distributors be liable for any incidental, indirect, or consequential damages arising from the sale, resale, use, or misuse of the product. Specifications are subject to change without notice. In addition, LifeSafety Power reserves the right to make changes-without notification to Buyer-to processing or materials that do not affect compliance with any applicable specification.