

June 5, 2019

LifeSafety Power has begun to roll out enhanced E4 and E8 enclosures.

The depth of the E4 and E8 style enclosures will be increasing from **4.5 inches to 6.5 inches** to provide more interior space for batteries, wiring, and equipment. This enhancement will happen as older inventory is depleted. To date all E8 enclosures have now changed over to 6.5 inches and E4's are expected to transition later this month.

While this change should be positive for most users, installers and system planners should be aware of this change when specifying equipment in depth-limited applications.

Details Of This Change

Care was taken to minimize the impacts of this change to the installer. Important points include:

- Both the E4 and E8 enclosures gain 2 inches of depth. *Width and length specifications are not affected.*
- Rather than remaining centered in the width of the deeper enclosure, the centerline of the knockouts was moved to 1.5" from the back wall.
- These changes apply to ALL variations of E4 and E8 enclosures, including Unified Power and ProWire models.

Resources

The following links are to documents and other items related to this bulletin.

LSP Enclosures Web Page

<https://lifesafetypower.com/products/accessory-modules-components/enclosures>

Deep E4 Enclosure CAD Download (DWG)

https://lifesafetypower.com/docs/e4_deep_box.dwg

Deep E8 Enclosure CAD Download (DWG)

https://lifesafetypower.com/docs/e8_deep_box.dwg

Factory Technical Support

technical_support@lifesafetypower.com

888.577.2898

LSP Sales Support

Matt Virga - Eastern Sales Director

PH (559) 695-7597

Keith Kober - Western Sales Director



PH (415) 238-5353



New E4 CAD

Download E4 CAD (DWG) for complete specification


https://lifesafetypower.com/docs/e4_deep_box.dwg



New E8 CAD

Download E8 CAD (DWG) for complete specification

https://lifesafetypower.com/docs/e8_deep_box.dwg



LifeSafety Power, Inc.
 899 E Park Avenue
 Libertyville, IL 60048 USA
 Tel 888-577-2898
 info1@lifesafetypower.com

Important: All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their particular application. LifeSafety Power makes no warranties as to the accuracy or completeness of the information, and disclaims any liability regarding its use. LifeSafety Power's only obligations are those in the LifeSafety Power Standard Terms and Conditions of Sale for this product, and in no case will LifeSafety Power or its distributors be liable for any incidental, indirect, or consequential damages arising from the sale, resale, use, or misuse of the product. Specifications are subject to change without notice. In addition, LifeSafety Power reserves the right to make changes—without notification to Buyer—to processing or materials that do not affect compliance with any applicable specification.