


DC Power Supply / Charger Boards

LifeSafety Power has an expansive range of power supply boards for access control applications.



Lifetime Warranty

{jatabs type="content" position="top" width="1000" heightTabs="30" height="1600" moustype="click" animType="animMoveHor" skipAnim="false" duration=1000 } [tab title="Products"] **FPO Series**

The FPO Series is LifeSafety Power's flagship line of power supplies. Full-featured with US & International regulatory listings, the FPO Series is applicable in most applications. Note - All documents and information on this page are for Generation 2 FPO boards. Download the FPO Generation 1 document package [HERE](#)

120VAC Input	Datasheet	Order As	Input Voltage	Output
FPO75	FPO75-Boxed	120	6A/12V or 3A/24V	75W
FPO150	FPO150-Boxed	120	12A/12V or 6A/24V	150W

FPO250	FPO250-Boxed	120	20A/12V or 10A/24V	250W
Note - 120VAC models may be field set to 208/230 by cutting the voltage selection jumper. See m				
208 / 230VAC Input	Datasheet	Order As	Input Voltage	Out
FPO75/E	FPO75/E-Boxed	208/230	6A/12V or 3A/24V	75W
FPO150/E	FPO150/E-Boxed	208/230	12A/12V or 6A/24V	150W
FPO250/E	FPO250/E-Boxed	208/230	20A/12V or 10A/24V	250W

Note - 208/230VAC models have the voltage selection jumper precut at the factory and cannot be s

FPG Series

The FPG Series is LifeSafety Power’s International line of power supplies. A universal input with power factor correction allows the FPG Series to to be used on any input voltage, including

100VAC Japan applications.
Universal Input - 100-240VAC Datasheet Order As Input Voltage

[FPG50](#) FPG50-Boxed 100-240VAC 2A/12V or 2A/24V 50W

[FPG100](#) FPG100-Boxed 100-240VAC 8A/12V or 4A/24V 100W

[FPG200](#) FPG200-Boxed 100-240VAC 8A/24V 200W

B100 Secondary Power Supply
The B100 adds an economical second voltage to a LifeSafety Power access power system. Two settings are available - 12V fixed output or 5-18V adjustable. The B100 accepts a low voltage DC input from a LifeSafety Power FPO, FPG, or FPV power supply output. The B100 output voltage is backed up by the battery set on the main power supply. Note - The B100 does not accept an AC input or charge batteries.

12V or 24VDC Input Datasheet Order As Input Voltage

OU

B100	B100-Boxed	12 or 24VDC	4A/12V or 4A/5-18V	-
----------------------	------------	-------------	--------------------	---

[/tab] [tab title="More Information"]

FPO Series

- UL294 / UL603 / UL1076 / ULC S319 • CSA C22.2 #107.1 • FCC Part 15, Subpart B • IEC 62368-1:2014, EN55032:2015, EN61000-3-2:2014
- EN6100-3-3:2013, EN55024:2010 +A1:2015
- CE, UKCA, BIS IS13252(Part1):2010, NOM 001:2018, RCM, SAA
- CSFM Approved, ROHS 3 Lead Free

FPO75	DS	IM	CAD	AG
FPO150	DS	IM	CAD	AG
FPO250	DS	IM	CAD	AG
FPO75/E	DS	IM	CAD	AG
FPO150/E	DS	IM	CAD	AG
FPO250/E	DS	IM	CAD	AG

FPG Series

- FCC Part 15 Subpart B • IEC 62368-1:2014, EN55032:2015, EN61000-3-2:2014 • EN61000-3-3:2013, EN55024:2010 +A1:2015
- CE, UKCA, BIS IS13252(Part 1):2010, RCM, SAA
- PSE J62368-1(2020), PSE J55032(H29)
- ROHS 3 Lead Free

FPG50	DS	IM	CAD	AG
FPG100	DS	IM	CAD	AG
FPG200	DS	IM	CAD	AG

B100 Secondary Power Supply

- UL294 / UL603 / UL1076 • ULC S318 / S319 • FCC Part 15, Subpart B • CSA C22.2 #205
- CE, UKCA

B100	DS	IM	CAD	AG
------	--------------------	--------------------	---------------------	--------------------

[/tab]

